Author Index of Volume 176

Astakhov, M.V., 61
Atrens, A., 163
Aziz, S.M.A., 25

Barbezat, G., 49
Bremhorst, K., 163
Brian Rowe, W., 137
Brosnan, C.C., 163

Chen, S.H., 29
Cheng, Y.N., 173
Cumming, G., 9

E, J., 195

Gao, M.Z., 145
Gao, Y.-M., 39
Gawne, D.T., 195
Gunner, A., 9

He, L., 103

Iliuc, I., 73

Jiang, J., 185
Jin, Y., 49
Jokl, M., 73

Kajdas, C., 1

Lavielle, L., 89
Lee-Sullivan, P., 81
Leheup, E.R., 111, 121
Lin, J.F., 173
Lin, T.-R., 95
Liu, J., 67
Lu, G., 81

Ma, Y., 67
Mai, Y.-W., 231
McDermott, I., 9
Meikandan, N., 131
Meyer, U., 163
Mills, B., 137
Moes, H., 217
Moon, J.R., 111, 121
Mote, Jr., C.D., 29
Mouratov, V.A., 61

Nicoll, A.R., 49
Nijenbanning, G., 217
Noguchi, T., 255

Pawlus, P., 247
Płaza, S., 1
Prashad, H., 151

Qi, H.S., 137

Raman, R., 131

Saikko, V., 207
Savage, G., 261
Seireg, A., 25
Shi, J., 145
Shi, W.D., 145
Shimizu, K., 255
Singaperumal, M., 131
Spuzic, S., 261
Stack, M.M., 185
Stott, F.H., 185
Strafford, K.N., 261
Subramanian, C., 261

Tomlins, R., 163
Turley, D.M., 9

Ukhanska, O., 19

Venner, C.H., 217

Wang, T.M., 145
Wei, J., 213
Weis, O., 239
Wen, X.Y., 145
Werner, J., 239
Wu, H., 49

Xue, Q., 213

Yevtushenko, A., 19

Zhang, C.-J., 103
Zhang, D., 111, 121
Zhang, L., 231
Zhang, Z., 231
Zheng, L., 67
Zhou, J.-E., 39
Zhou, L., 39
Zhou, Q.-D., 39

Elsevier Science S.A.

Subject Index of Volume 176

Abrasion
an investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear, 103
Additives
effects of synthetic additives on the friction and wear properties of a Cr_2O_3 coating, 213
Additive sulphurized olefin
the synergistic effects of oil additive sulphurized olefin with chemico-thermal treatment surfaces of steel, 67
Adsorptive catalytic mechanism
nickel fine particles' adsorptive–catalytic mechanism, 61
Al_2O_3
modelling friction and wear of scratching ceramic particle-reinforced metal composites, 231
Al_2O_3–40%ZrO_2
friction and wear of a plasma sprayed Al_2O_3–40%ZrO_2–cast iron system, 49

Bayer liquor
a new impinging jet test rig used to identify the important parameters in service erosion–corrosion in Bayer liquor and to study the damage morphology, 163
Bearings
on parallel hybrid guide bearings under combined sliding and small amplitude vibration with pressure-regulated lubricant supply, 29
investigation of damaged rolling-element bearings and deterioration of lubricants under the influence of electric fields, 151
Bronze
tribological performance of bronze-filled PTFE facings for machine tool slideways, 195

Carbides
an investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear, 103
Cast iron
unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron, 39
friction and wear of a plasma sprayed Al_2O_3–40%ZrO_2–cast iron system, 49
Ceramics
unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron, 39
tribological reactions generated on ceramic–stellite couples contaminated by SiO_2 particles, 173
modelling friction and wear of scratching ceramic particle-reinforced metal composites, 231
Chemico-thermal treatment
the synergistic effects of oil additive sulphurized olefin with chemico-thermal treatment surfaces of steel, 67
Coatings
effects of synthetic additives on the friction and wear properties of a Cr_2O_3 coating, 213
Composites
erosion of impact-notched holes in GFRP composites, 81
tribological performance of bronze-filled PTFE facings for machine tool slideways, 195
modelling friction and wear of scratching ceramic particle-reinforced metal composites, 231
Contact length
an analysis of real contact length in abrasive machining processes using contact mechanics, 137
Contact mechanics
an analysis of real contact length in abrasive machining processes using contact mechanics, 137
Contacts
film thickness in elastohydrodynamically lubricated elliptic contacts, 217
Corrosion
corrosion wear behaviour of ion-implanted steel, 145
a new impinging jet test rig used to identify the important parameters in service erosion–corrosion in Bayer liquor and to study the damage morphology, 163
Cylinders
a study on the functional properties of honed cylinders surface during running-in, 247

Density
the effect of density on fretting wear of sintered iron, 111
Diamond
a comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs, 73

Elasticity
non-stationary temperature field of discrete sliding contact of elastic bodies, 19
Elastohydrodynamic
film thickness in elastohydrodynamically lubricated elliptic contacts, 217
Electric fields
electric field effect on the friction of a polyethylene–terpolymer film on a steel substrate, 89
investigation of damaged rolling-element bearings and deterioration of lubricants under the influence of electric fields, 151
Elliptic contacts
film thickness in elastohydrodynamically lubricated elliptic contacts, 217
Erosion
erosion of impact-notched holes in GFRP composites, 81
a new impinging jet test rig used to identify the important parameters in service erosion–corrosion in Bayer liquor and to study the damage morphology, 163
erosion characteristics of ductile iron with various matrix structures, 255
Erosive wear
a metallurgical study of erosive wear in a 105 mm tank gun barrel, 9

Film thickness
film thickness in elastohydrodynamically lubricated elliptic contacts, 217
Fretting wear
the effect of density on fretting wear of sintered iron, 111
Friction
friction and wear of a plasma sprayed Al_2O_3–40%ZrO_2–cast iron system, 49
the synergistic effects of oil additive sulphurized olefin with chemico-thermal treatment surfaces of steel, 67

a comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs, 73
electric field effect on the friction of a polyethylene–terpolymer film on a steel substrate, 89
experimental study of friction in hydraulic actuators with sealless pistons, 131
some frictional features associated with the sliding wear of the nickel-base alloy N80A at temperatures to 250 °C, 185
effects of synthetic additives on the friction and wear properties of a Cr_2O_3 coating, 213
modelling friction and wear of scratching ceramic particle-reinforced metal composites, 231
Frictional noise
a parametric study of frictional noise in gears, 25

Gears
a parametric study of frictional noise in gears, 25
Grinding
an analysis of real contact length in abrasive machining processes using contact mechanics, 137
Gun barrel
a metallurgical study of erosive wear in a 105 mm tank gun barrel, 9

Hip joint wear
wear of polyethylene acetabular cups against zirconia femoral heads studied with a hip joint simulator, 207
Hydraulic actuators
experimental study of friction in hydraulic actuators with sealless pistons, 131
Hydrodynamic lubrication
steady state performance of finite hydrodynamic journal bearing with three-dimensional irregularities, 95

Impinging jet test rig
a new impinging jet test rig used to identify the important parameters in service erosion–corrosion in Bayer liquor and to study the damage morphology, 163
Ion-implanted steel
corrosion wear behaviour of ion-implanted steel, 145
Iron
low amplitude reciprocating wear of sintered iron, 121
erosion characteristics of ductile iron with various matrix structures, 255

Journal bearing
steady state performance of finite hydrodynamic journal bearing with three-dimensional irregularities, 95

Lubricant additives
tribochemical reactions of zinc diisobutyldithiophosphate in ester–mineral oil solution under boundary conditions, 1
Lubricants
tribochemical reactions of zinc diisobutyldithiophosphate in ester–mineral oil solution under boundary conditions, 1
on parallel hybrid guide bearings under combined sliding and small amplitude vibration with pressure-regulated lubricant supply, 29
nickel fine particles' adsorptive–catalytic mechanism, 61
investigation of damaged rolling-element bearings and deterioration of lubricants under the influence of electric fields, 151
Lubrication
film thickness in elastohydrodynamically lubricated elliptic contacts, 217

Machine tools
tribological performance of bronze-filled PTFE facings for machine tool slideways, 195
Machining
an analysis of real contact length in abrasive machining processes using contact mechanics, 137
Metallurgy
a metallurgical study of erosive wear in a 105 mm tank gun barrel, 9
Metal particles
nickel fine particles' adsorptive–catalytic mechanism, 61
Milling
wear of hot rolling mill rolls: an overview, 261

N80A
some frictional features associated with the sliding wear of the nickel-base alloy N80A at temperatures to 250 °C, 185
Nickel-base alloys
some frictional features associated with the sliding wear of the nickel-base alloy N80A at temperatures to 250 °C, 185
Nickel particles
nickel fine particles' adsorptive–catalytic mechanism, 61

Pistons
experimental study of friction in hydraulic actuators with sealless pistons, 131
Polishing
wear residue from polishing sapphire with silica aquasol on a tin lap, 239
Polyethylene
wear of polyethylene acetabular cups against zirconia femoral heads studied with a hip joint simulator, 207
Polymers
electric field effect on the friction of a polyethylene–terpolymer film on a steel substrate, 89
tribological performance of bronze-filled PTFE facings for machine tool slideways, 195

Reciprocating wear
low amplitude reciprocating wear of sintered iron, 121
Rolling
wear of hot rolling mill rolls: an overview, 261
Running-in
a study on the functional properties of honed cylinders surface during running-in, 247

Sapphire
wear residue from polishing sapphire with silica aquasol on a tin lap, 239
Scratch test
modelling friction and wear of scratching ceramic particle-reinforced metal composites, 231
Sintered iron
the effect of density on fretting wear of sintered iron, 111
Sintering
low amplitude reciprocating wear of sintered iron, 121
SiO_2 particles
tribological reactions generated on ceramic–stellite couples contaminated by SiO_2 particles, 173
Sliding
on parallel hybrid guide bearings under combined sliding and small amplitude vibration with pressure-regulated lubricant supply, 29

a comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs, 73
Sliding contacts
non-stationary temperature field of discrete sliding contact of elastic bodies, 19
Sliding wear
unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron, 39
some frictional features associated with the sliding wear of the nickel-base alloy N80A at temperatures to 250 °C, 185
Steel
a comparative investigation of the sliding wear mechanism in lubricated steel-on-steel and diamond-on-steel friction pairs, 73
an investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear, 103
Stellite
tribological reactions generated on ceramic–stellite couples contaminated by SiO_2 particles, 173
Surface damage
investigation of damaged rolling-element bearings and deterioration of lubricants under the influence of electric fields, 151
Surfaces
an analysis of real contact length in abrasive machining processes using contact mechanics, 137
Surface topography
a study on the functional properties of honed cylinders surface during running-in, 247

Temperature
non-stationary temperature field of discrete sliding contact of elastic bodies, 19
Three-body wear
an investigation of the role of secondary carbide in martensitic steel during three-body abrasion wear, 103
Three-dimensional irregularities
steady state performance of finite hydrodynamic journal bearing with three-dimensional irregularities, 95
Tribochemical reactions
tribochemical reactions of zinc diisobutyldithiophosphate in ester–mineral oil solution under boundary conditions, 1
Tribological reactions
tribological reactions generated on ceramic–stellite couples contaminated by SiO_2 particles, 173

Unlubricated sliding
unlubricated sliding wear mechanism of fine ceramics Al_2O_3 and ZrO_2 against high chromium cast iron, 39

Vibration
on parallel hybrid guide bearings under combined sliding and small amplitude vibration with pressure-regulated lubricant supply, 29

Wear residue
wear residue from polishing sapphire with silica aquasol on a tin lap, 239
Wear-resistant material
erosion characteristics of ductile iron with various matrix structures, 255

Zirconia
wear of polyethylene acetabular cups against zirconia femoral heads studied with a hip joint simulator, 207